Outpost Packet Message Manager on Linux



Mark Phillips, NI2O March 2023

Table of contents

1 Abstract	2
2 Assumptions	2
3 Install Required software	2
4 Install Outpost Packet Message Manager	2

1 Abstract

Outpost Packet Message Manager is a Windows only software package capable of handling various Packet Radio email and bulletin messages. It can communicate with all the known messaging systems in use with Packet Radio today. This article explains how to install OPM onto your Linux machine.

2 Assumptions

Familiarity with Debian Linux


3 Install Required software

Full graphical based Linux distro (not 'lite') PlayOnLinux 'sudo apt install playonlinux' Wine32 'sudo apt install wine32' Wine64 'sudo apt instal wine64'

4 Install Outpost Packet Message Manager

Having installed the required software listed above download the latest windows install file from https://www.outpostpm.org/index.php?content=downloads

Start PlayonLinux. From the 'Actions' menu on the left side select 'Install a Program'.



Then select 'Install a non-listed program'




Click next




Install a program in a new virtual drive

PlayOnLinux	0 0
PlayOnLinux Wizard Manual installation	
Please type a name for your application's virtual drive. This name shouldn't contain spaces. outpostpm	
Nex	kt 🖲 Cancel

Give the virtual drive a name. Click next



Click Next




Click Next. Wait while the drive gets set up

	PlayOnLinux		0 0
PlayOnLinux Wizard Manual installation			
Please select the install fil	e to run.		
	Browse		
		Next	🖲 Cancel

Browse to your previously downloaded Windows OPM installer file then click next




All being well the installer should fire up. Follow wizard through to the end as you would on Windows




Select 'outpost.exe' from the list. Click next Select 'I don't want to make another shortcut'. Click next

			Р	layOnLinu	x		00	0
File	Display	Tools	Settings	Plugins	Support	Help		
Ru		Close	Install	Remove	Configu	ге	Q Search	D
Actions		_		outpost				
Play	OnLinu			Juppose				
	nstall a pro ettings	<u>ogram</u>						
Outp	ost							
Þ	<u>tun</u>							
A A	<u>lose</u>							
	<u>ebug</u>							
	<u>:onfigure</u> :reate a sh	ortcut						
_	pen the d							
	Ininstall							

Click on Outpost icon and then configure from the left menu



From the 'Install Components' tab select 'dotnet40' and click install. After install select vbrun6 then press install



Click the outpost icon and then click run from the left menu

	Station Identification	
Identification BBS Log	gins Signatures	
Current Profile: Outpo Legal User Call Sign: User Name: Message ID Prefix:	St <choose create(new)="" id="" user=""> (3 Characters max)</choose>	New Delete
Tactical	(0 0.1110.110.111)	
	for all BBS interaction	
Tactical Call Sign:	<choose call="" create(new)="" tac=""> 💌</choose>	New
Additional ID Text:		Delete
Message ID Prefix:	(3 Characters max)	
Show this form on s	startup OK Apply	Cancel

Configure Outpost as you would for Windows.

ew Open	Archive	Delete	Print	Send/Receive	Profile:	Outpost	•		А
Folder List	In Tray	ý							
In Tray	U Type	From	То	BBS	Local ID	Subject	Date/Time	Size	
		n2nov	ni2o@w			Re: Second Test to NI2O at Ha	2/21/2023 20:	2,168	
Out Tray		n2nov	ni2o@w			Re: test #2 from outpost	3/3/2023 16:41	89	
Sent Msgs		n2nov	ni2o@w			Re: test of ax.25 email	2/21/2023 14:	2,136	
Sentiwisgs		n2nov n2nov	ni2o@w ni2o@h			Re: test with updated rewrite Second Test to NI2O at HamGa	2/21/2023 13: 4/8/2022 15:27	206 795	
Archive		n2nov	ni20@n			Test From Me	3/3/2023 16:53	801	
		n2nov	ni2o@h			Test Using New Hierarchical R	4/8/2022 13:53	792	
Draft Msgs									
Deleted									
Folder 1									
Folder 2									
Folder 3									
Folder 5									
Folder 4									
Folder 5									